

Dual unisex toilets for small outdoor events or construction sites where facilities are otherwise unavailable. Easy to use, easy to move.









## Integral steps & jack legs

## **Toilets**

- O 2x recirculating toilet cubicles
- O Hot water hand wash
- O Mirror
- O Built in ceiling spot lights
- O Ventilation
- O Coat hooks
- O Soap & paper dispensers
- **Technical** 
  - O Consumer unit with electrical certificate
  - 230 volt 16amp electric inlet
  - O Water heater



Cubicles with hot water hand wash sink

Dimensions (mm)

Length: 2430mm + Tow Bar: 3740mm

Width: 1680mm Height: 2600mm

Weight: 750kg

## **External**

- O Walls: Seamless insulated GRP interior and exterior which provides rust free and washable surfaces
- O Roof: Seamless insulated composite panel.
- O Floor: 15mm plywood with slip and wear resistant phenolic coating with a non slip vinyl finish
- O Chassis: Heavy duty galvanised steel with 4 corner steadies
- O Axle: ALKO braked axle with 50mm ball overrun
- O Doors: Insulated doors with keyed alike locks.
- O Steps: Heavy duty galvanized steel
- O Lights: Built in road lights with removable number plate brackets.

16amp mains power

**▲ 16amp Incoming Mains** 

## **Customer door locks**





As part of our on-going commitment to improvement we reserve the right to alter specifications, designs or figures, without prior notice. All dimensions and weights are approximate.





















